MATHEMATICAL QUESTIONS, WITH THEIR SOLUTIONS, FROM THE "EDUCATIONAL TIMES", WITH MANY PAPERS AND SOLUTIONS NOT PUBLISHED IN THE "EDUCATIONAL TIMES", VOL. XVII Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649523337

 $\label{lem:matter} Mathematical Questions, with Their Solutions, from the "Educational Times", with Many Papers and Solutions Not Published in the "Educational Times", Vol. XVII by W. J. C. Miller (Control of the Control of the C$

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

W. J. C. MILLER

MATHEMATICAL QUESTIONS, WITH THEIR SOLUTIONS, FROM THE "EDUCATIONAL TIMES", WITH MANY PAPERS AND SOLUTIONS NOT PUBLISHED IN THE "EDUCATIONAL TIMES", VOL. XVII

MATHEMATICAL QUESTIONS,

WITH THEIR

SOLUTIONS,

FROM THE "EDUCATIONAL TIMES,"

WITH BARY

Pagers and Solutions not published in the "Educational Times."

EDITED BY

W. J. C. MILLER, B.A.,

· VOL, XVII.

FROM JANUARY TO JUNE, 1872.

LONDON:

C. F. HODGSON & SON, GOUGH SQUARE, FLEET STREET.

1879

18753.e.2.

LIST OF CONTRIBUTORS.

ALDIE, J. S., M.A., H.M. Inspector of Schools.
ALBEANDER, P., Gorton, Manchester.
Anderson, D. M., Kirrietmür, Scotland.
BALL, Professor Rober, Brawell, M.A., Royst
College of Solence, Dublin.
BATB, Gitt, Prescott, Iows, United States.
BATTAGLIEI, GULSEPPE, Professor of Mathomatics in the University of Naples.
BREHINAN, J. B., Rogent Street, Glouogester.
BILLS, SANUEL, Newark-on-Treas.
BLACEWOOD, ELIZABETH, London.
BLACEWOOD, ELIZABETH, London.
BLACEWOOD, Rev. J., B.A., Stafford.
BLISSER, B. E.V. T., B.A., Stafford.
BLISSER, B. E.V. T., B.A., The Vicarage, Stone,
Bucks.
BUESE, A. A., Athgraton. Figuria, Joseph, Professor of Mathematics and Astronomy in the University of Missouri, Columbia, United States.

PIZEGRALD, E., Hagenalstown, Ireland.

PLOOD, P. W., Ballingarry, Ireland.

PUGBERS, E., Ruedant & Université de Naples.

GABDIERS, MARTIS, late Professor of Mathematics in St. John's College, Sydney.

CHREAR, H. W., Blackhall Street, Dublin.

GLADBERS, J. W., Blackhall Street, Dublin.

GLADBERS, J. W., L., B.A., Pellow of Trimity College, Cambridge. GRAGHTY, W. Blackhall Street, Dublin.
GLAIMER, J. W. L., B., Pellow of Trinity College, Cambridge.
GDFRAY, HOER, M.A., Cambridge.
GDFRAY, HOER, M.A., Cambridge.
GDWAID, WILLIAM, Law Life Office, London.
GRINY, S. C. W., MOYAI NAVAI School, New Cross.
GRINYMS, MYRA E., Rue de la Pair, Boulogue.
SHIP-MOOD, JAMBS M., Kirksville, Missouri,
United States.
GREER, H. E., K.A., Dublin.
GEIFFITH, W., Superintendent of Public Schools,
Naw London, Ohio, United States.
GRIWFITHS, J., M.A., Scilow of Jesus College,
Oxford.
HALL, H. S., M.A., Olifton College,
HANDON, G. O., SANGHOUND, Dublin.
HANDA, W., Liferary Institute, Belfast,
HARKENA, O., University of St., Potersburgh.
HARKENA, O., University of St., Potersburgh.
HARLEY, Dr., DAYID S., Stonington, Commerciant,
United States.
KERMYIR, Ch., McDror do l'Institut, Paris.
HILL, Rev. E., M.A., St. John's College, Camb.
HHER, Dr., T. A., F.R. B., Registrar of the University of London.
HOGG, W., M.A., Royal Naval School, New Cross.
HOFRINS, Rev. G. H., M.A., Shrewsbury Road. BLISSARD, BEV. J., H.A., The Vicarage, Lowers, seed Norris, Berks.
BOOTH, Rev. Dr., F.R.S., The Vicarage, Stone, Bucks.
BOUBER, A. A., Atherston.
BOWDITCH, W. L., Wakefield.
BRARQUART, PAUL, Church House, Ealing, BROMFIELD, S. W., Christ Church Coll., Oxford.
BROWN, A. CRUN, D.SO., Edibburgh.
BURNEID, S. W., Christ Church College, Dublin.
CAMPBELL, Capt. FRED., Notting Hill, London.
CABE, G. S., Westwich Control.
CABE, G. S., Westwich Control.
CABE, G. S., Westwich Control.
CABE, J. A., F.R.S., Sodierian Professor of Mathematics in the University of Cambridge,
Corresp. Member of the Institute of France.
CHAPWICK, W., OMON.
CLARKE, Major, C. B., F.R.S., Ordnance Survey
Office, Southampton.
CLARKE, Major, C. B., F.R.S., Chief Justice of
Queensland: Fresident of the Queensland
COCKLE, Str. J., M.A., F.R.S., Chief Justice of
Queensland: Fresident of the Queensland
Philosophical Society.
CORNEL, SATHER, M.A., London.
COLLINE, JOHN, B.A., Marboro' Street, Dublin.
COLLINE, MATTERW, B.A., Eden Quey, Dublin.
COLLINE, MATTERW, B.A., Eden Quey, Dublin.
COCKER, Str. Monathingent, Ireland.
CONNILL, J., Leightburbidge, Freiband.
CONNILL, J., Leightburbidge, Freiband.
CONTERIL, T., Leightburbidge, Freiband.
CONTERIN, T., Leightburbidge, Frei HOUG, W., M.A., Eoyal Naval School, New Cross.
HOPKINGDY, J., D., So., B.A., Oxford Road, Manchester, J. D., So., B.A., Oxford Road, Manchester, Hopking Rev. G. H., M.A., Shrewsbury Road, Claughton, Birkenhead.
HOEMING, HANY, Alme Place, Kenshngton, HUDGON, W. H., M.A., Fellow of St., John's Colloge, Cambridge, Marilla Hall, Chirton, HUDGON, W. H., M.A., Lill, D., Royal Society of Literature, St., Machin's Place, London, Jansiffs, Mogay, M.A., Late Scholar of Christ's Coll., Camb., Westbourne Park, London, King, Questin W., Royal Hospital School, Groenwich, T. P., M.A., F.R.S., Croft Rectory, near Warrington.
KINGHAN, Rev. J. L., M.A., Helby Sohool, KINGHAY, Rev. J. L., M.A., Red Master of Bideford Grammar School, KINGHAY, Rev. J. L., M.A., Helbw and Mathematical Lecturer of Queen's College, Oxford, LEV., W. H., Shahourne, Berks Madden, W. M., Thilly Parsonage, Wakefield, Mannelm, M., Professeur & Phoole Polybechnique, Paria.

Kendington.

MERRIFISLD, J., Ph.D., P.R.A.B., Science School, Plymouth.

MILLER, W.J. O., B.A., Park Ville, Hudderschold.

MILCER, W.J. O., B.A., Trinity College, Dublin, MICCHESO, T., B.A., The Cectars, Rickmansworth, Modern, Robert, J., Nebbleaworth, Rear Duchain.

MOPFITT, J., Nebbleaworth, Rear Duchain.

MOPFITT, J., Nebbleaworth, Rear Duchain.

MOOREN, T. M.A., Iske Fellow of Queon's College, Cambridge.

MORLEY, THOS., L.C., P., Bromley, Kent.

MOULTON, J. F., M.A., Fallow of Unitar's College, Cambridge.

MULLASTER, J., Woolwich Common.

MULLASTER, J Tuberit, I. H., Cumminsville, Ohlo, United States.
Vore, G. B., Professor of Mechanics and Civil Engineering, Washington and Jefferson College, Washington, United States.
Walker, J., M.A., Vice-Principal of University Hall, London.
Walker, J., B.A., Eccles, Manchester.
Walker, Tames. Polleyac, France Camble 08, Rate de Borry, Peria.

PRUDDEN, PRANCES R., Lockport, New York, United States.

RENBRAW, S. A., Bim Avenue, New Basford, Nottinghem.

REODES, ELLEN, Helensborough.

RIPPIN, Charles R., M.A., Woolwich Continon, Roberts, Rev. W., M.A., Fellow and Senior Tutor, Trinity College, Dublin.

ROBERTS, Rev. W., M.A., Fellow and Senior Tutor, Trinity College, Dublin.

ROBERTS, A. W., B.A., Brasenose College, Oxford.

SALSON, Rev. G., D.D., P.R.S., Fellow of Trinity College, and Regists Professor of Divinity in the University of Dublin.

SANDERS, J. H., Hoomington, Monroe County, Indiana, United States.

SATDERSON, Rev. T. J., M.A., Litlington Vicarnage, Royston. Mor. France.
WARES, R., M.A., Trinity College, Dublin.
WATSON, ETEFREN, Haydonbridge, Northumberland. berland.
WHIR, Rev. J., M.A., Woodwich.
WHITWORTH, Rev. W. A., M.A., Pellow of St.
John's College, Cambridge.
WILLIESON, Rev. M. M. U., Recpham Rectory,
Norwich.

WILKINSON, T. T., F.R.A.S., Grammar School, Burnley.
WILLIAWSON, B., M.A., Fellow of Trinity College, Dublin.
WILSON, Rev. R., D.D., Chelsea.
WILSON, Rev. R., D.D., Chelsea.
WILSTERNOLMS, Rev. J., M.A., late Fellow of Christ's College, Cambridge; Professor of Mathematics in the Civil Engineering College, Cooper's Hill, Staines.
WOOLHOUSE, W. S. B., F.R.A.S., &c., Alwyne Lodge, Canonbury, London.
WORDINGHAM, ELIZABETH, Fakenham.
WRIGHT, Dr. S. H., M.A., Penn Yan, New York, United States.
WEINHI, W. E., Royal School, Raphoe.
YOUNG, J. R., Priory Cottage, Pockham. ROYSION.

RAVIOE, THOMAS, M.A., Pellow of Pembroke College, Cambridge
SCOTT, JOSIAE, Judge of the Chio Supremo Court, Buoyrus, United States.
SCOT, R. F., St. John's College, Cambridge.
SHARPE, Rev. H. T., M.A., Vicar of Cherry Marham, Norfolk.
SIDES, J. J., Rue des Vieillards, Boulogne-sur-Mer, Franco.
SIVERLY, WALTER, Oil City, Pennsylvania, United States. Royston.

WILKINSON, T. T., F.R.A.S., Grammar School,

Contributors decoased since the Publication of Vol. I.

DE MORGAN, AUGUSTUS, F.R.A.S.; DE MORGAN, G. C., M.A.; HOLDITCH, Rev. H., M.A.; Lea, W.; O'Callaghan, J.; Purriss, H. J., R.A.; Prounke, E.; Sadler, G. T., F.R.A.S.; Wright, Rev. E. H., M.A.; Rutherpord, Dr., F.R.A.P.

CONTENTS.

| | Mathematical Papers, &c. | |
|------------|--|------------|
| No. 86. | On Hutton's Bule for Approximating to the Hoots of Numbers. By C. W. Merrifield, F.R.S. | Page 53 |
| 87. | Note on the Roctangular Hyperbola. By C. Taylor, M.A | 54 |
| 88, | Proof of a Fundamental Property of Parallel Straight Lines. By J. Walmaley, B.A. | 102 |
| | 10 A | |
| | Solbed Questions. | |
| 8108 | (J. J. Walker, M.A.)—Through B, C, angles of a spherical tri- angle ABC, draw ares perpendicular to AB, AC, respectively, and meeting in D. Let AE, AF be ares equally inclined to AB, AC, and meeting, the former the base BC in E, the latter a perpendicular are through D in F; prove that tan AE, tan AF = tan δ, tan c, | |
| | $\tan^2 AD = \frac{\tan^2 b + \tan^2 a - 2 \tan b \cdot \tan a \cos A}{\sin^2 A}$ | 36 |
| 3220 | (J. J. Walker, M.A.)—The theorem in Question 2122 may be generalized by supposing that PO bears any constant ratio (*) to the conjugate semi-diameter. | |
| | Prove that the circle passing through LMN, the point P referred to the axes of the ellipse being (x', y'), is | |
| | $x^{2} + y^{0} - \frac{b(b - ka)}{a^{2}}x'x - \frac{a(a - kb)}{b^{2}}y'y - (a^{2} + b^{2} - kab) = 0.$ | |
| | Verify that this circle passes through the point on the ellipse diametrically opposite to P; and find its envelope as P moves round the ellipse. | |
| | If the normals at L, M, N meet the ellipse which is the locus of O again in L', M', N', prove that LL', MM', NN' are to the semi-diameters parallel to the tangents at L, M, N re- spectively as k to 1 | 105 |

| | No. 3230. | (J. J. Sylvester, F.R.S.)—Given | Page |
|---|--------------|--|------|
| | | x(x+y)(x+t)(x+t) = i(x-y)(x-t)(x-t), y(y+x)(y+t)(y+t) = j(y-x)(y-s)(y-t), | |
| | - | z (z + x)(z + y)(z + t) = k(z - x)(z - y)(z - t), t (t + x)(t + y)(t + z) = l(t - x)(t - y)(t - z); | |
| • | | show that the system of values x, y, z, t , which satisfy the above equations, is unique; and determine x, y, z, t in terms of i, j, k, l . | 19 |
| | 3244, | - (82) 이용 장면 열면 프로마 (2007) 보면 내 내 이 원인 (2007) 프로마 이 사이보다. 이번 배상의 경제 경기 (2007) 보다 나를 내 있다고 있다. | 26 |
| | 3273. | (A. B. Evans, M.A.) - Find the surface of revolution all points of which are equally illumined by a given luminous straight line | 43 |
| | 3345. | (Rev. G. H. Hopkins, M.A.)—Obtain the sum and general term of such sories as $3^5+4^2+12^2+84^4+2612^2+4c$, and $11^2+60^2+1860^3+1781660^2+4c$, to n terms; and show that the number of such series, no two of them having any coromon terms, the first terms of which are not greater than a^* (a being an odd number), will be $\frac{1}{2}(a-1)-r$, whom r is the greatest integer which satisfies x in the inequality $x^2+(x-1)^2< c$ | *** |
| | 3447. | (R. W. Genese, B.A.)—B, O are points on a circle, A the pole of BO; a series of conics are drawn through ABC touching the circle in a variable point P. Show that all these have the same curvature at the point P, vis., twice that of the given circle | |
| | 2477. | (T. Mitcheson, B.A.)—PQ is the vertical diameter, and PR a tangent to the circle PSTQ whose centre is O; and RSO, BTQ are straight lines. If \(\frac{1}{2}, \text{ is } \eta \), be the respective times of a body falling from rest down PQ. RS. RT; prove that | |
| | | $\frac{RT}{RS} = \frac{44z^3}{\{(8t_1^3 + t^2)^{\frac{3}{4}} - z\}(t_2^3 + t^2)^{\frac{1}{4}}} \dots$ | 75 |
| | 3479. | (J. B. Sanders.)—A body descending vertically draws an equal body 25 fest in 2½ seconds, up a plane inclined 30° to the horrizon, by means of a string passing over a pully at the top of the plane. Detarmine the force of gravity | 99 |
| | 3482. | (Rev. Dr. Booth, F.R.S.)—Eliminate θ between the equations $m = \frac{a \sin \theta \cos^2 \theta}{a} n = \frac{a \cos^2 \theta + b}{a}$ | 76 |
| | 3491. | (C. Taylor, M.A.)—A sphere and a luminous point move about in any manner in space. Determine the relation between their motions when the least diameter of the shadow of the sphere cast on a fixed plane is constant | . 32 |
| | 3493. | (W. H. H. Hudson, M.A.)—Towards the end of a paper a man has two questions to do in t minutes; their difficulties are as $d_1:d_2$ and the marks for them as $m_1:m_2$; his chance of doing either varies as the square of the time he spends upon it, and inversely as its difficulty. How may he most profitably divide | |
| | 3495. | his time between them (C. M. Ingleby, LL.D.)—Find a general expression for any odd | 31 |
| | | number in terms of ascending powers of 2 | 38 |

CONTENTS.

| 201 | 32. 93 | |
|--------------|--|------|
| No. 3496. | (S. Bills.)—To find three positive whole numbers such that their sum, the sum of their squares, and the sum of their cubes shall be rational squares. | 30 |
| 3498. | (J. Meffitt.)—If the sides of a triangle be bisected, and from the points of bisection perpendiculars be drawn from the triangle to the circumscribed sirole; prove that the sum of the lines so drawn, together with the radius of the inscribed circle, will be equal to the diameter of the circumscribed circle | 47 |
| 3506. | (J. B. Sanders.)—A body, projected in a direction making an angle α with a plane whose inclination to the horizon is β, fell upon the plane at the distance a from the point of projection, which is also in the inclined plane. Required the velocity of projection and the time of flight | 28 |
| 3511. | the angles of a triangle to the vertices of equilateral triangles described on the opposite sides, intersect, three and three, in two points; if another triangle be formed by connecting these two points and the centre of the circumscribing circle, show that the distance between the centres of gravity of the two triangles is equal to one-third of radius of the circumscribing | 21 |
| 3523. | (R. Tucker, M.A.)—B. C. D are three points on an ellipse, the osculating circles at which co-intersect at A, also on the curve. If O, O' be the contres of the allipse and rectangular hyperbola through A, B, O, D, then the ortho-centres of the four trinangles that can be formed from the four points lie not only on the hyperbola, but are situated on an ellipse whose centre lies on OU at a distance of 20O' from O, analogously to the points A, B, C, D on the original ellipse. | 26 |
| 3528. | (Professor Wolstenholme.)—If $u=x_1\left(1-x_2\right)=x_2\left(1-x_4\right)=\dots=x_n\left(1-x_{n+1}\right)=x_{n+1}\left(1-x_1\right),$ and $x_1,x_2,\dots x_{n+1}$ be all unequal, then will x be given by the equation $\left\{1+\left(1-4x\right)^{\frac{1}{2}}\right\}^{n+1}=\left\{1-\left(1-4x\right)^{\frac{1}{2}}\right\}^{n+1},$ the factor $\left(1-4x\right)^{\frac{1}{2}}$ being rejected | 24 |
| 3529. | (Rev. A. F. Torry, M.A.)—Two particles, P. Q. describe the same orbit round the same centre of force S; their directions of motion intersect in T. ST cuts PQ in R, and the ultimate intersection of consecutive positions of PQ is U: prove that PU = QR, and that when PQ is a maximum ST cuts it at right angles. | 99 |
| 3534. | (J. Collins.)—A quadrilateral has the sum of its opposite angles equal, and likewise the sum of its opposite sides. If from the middle point of either diagonal perpendiculars are drawn to the sides, the sum of the opposite perpendiculars will also be equal | 56 |
| 3537. | the point Q, from which two lines (r_1, r_2) are drawn to the foci of an ellipse, and two tangents on which are let fall the perpendiculars (p_1, p_2) from the centre; prove that | 2.00 |
| | $p_1 p_2 r_1 r_2 = a^3 u^3 + b^3 t^3 \dots$ | 54 |

| No. 3538. | (Rev. W. H. Laverty, M.A.)—A is a conic with centre α ; C is a circle with centre γ ; the asymptotes of C meet A in four points; of the line joining these points, two will be real; call these m and n ; draw two normals from γ to A; let S and T be the tangents at the extremities of these normals: show that the four intersections MS, NS, MT, NT will lie on a circle concentric with C | 41 |
|--------------|--|----|
| 3 | (J. W. L. Glaisher, B.A., F.R.A.S.)—Show that $\int_{0}^{\infty} \frac{dx}{e^{i\omega x^{2}} + e^{-i\omega x^{2}}} = -\text{E}i(-u) + \text{E}i(-3u) - \text{E}i(-6u) + \dots,$ $\int_{0}^{\infty} \frac{dx}{e^{i\omega x^{2}} - e^{-i\omega x^{2}}} = -\text{E}i(-u) - \text{E}i(-3u) - \text{E}i(-6u) + \dots,$ | |
| | Et denoting the exponential-integral. As a particular case, putting $w=1$, $\int_{0}^{\infty} \frac{dx}{e^{x} + e^{-x}} = \cdot 2073794, \int_{0}^{\infty} \frac{dx}{e^{x} - e^{-x}} = \cdot 2205447$ | 20 |
| 3540. | (Rev. G. H. Hopkins, M.A.)—A place of wire, every point of which attracts with a force varying as the inverse square of the distance, is twisted into a helix, P, and P, being the highest and lowest points; a particle O', attached to the lowest point A of the axis by an extensible string, slides without friction along the axis (gravity not acting). If the modulus of elasticity be the attraction of the helix on the particle at O, when AO is the natural length of the string; prove that | |
| | $OO' = AO\left(\frac{1}{O'P_1} - \frac{1}{O'P_1}\right) \div \left(\frac{1}{OP_2} - \frac{1}{OP_1}\right),$ AO being less than one-half the length of the axis | 19 |
| 3541. | (The Editor.)—A piece of sluader uniform wire, of indefinite length, every point of which attracts with a force varying according to the inverse square of the distance, is bent into the form of the catacustic of the parabola for rays perpendicular to the axis, (or, what is the same curve, the first negative focal pedal of the parabola); and A_1, A_2, A_3 are the several attractions on a particle at the focus, of the whole curve, of the loop of it, and of the part which exerts the greatest attraction towards the vertex; prove (1) that A_1 : A_2 : $A_3 = 8$: $6_4/3$: 19 , and (2) that an arc of the curve extending from the vertex to an angular distance from the focus of 23° 44' 2" on each side of the axis would exert the same attraction as the whole curve on a particle at the focus. | 17 |
| 3542. | (G. O'Hanlon,)—Find the normal which cuts off the least curve | |
| | from a conic. | 29 |
| 8546. | (R. Tucker, M.A.)—The angles of a triangle are taken as the eccentric angles of three points P, Q, R on an ellipse; find the envelope of the locus of the centres of the circles about PQR (P being supposed at first fixed, and then to vary its position). Find also the locus of the centres of the circles which the circles touch when a point is fixed. | 68 |
| | touch when a point is fixed | 00 |