

**HORTUS PADDINGTONENSIS: OR,
A CATALOGUE OF PLANTS
CULTIVATED IN THE GARDEN OF
J. SYMMONS, ESQ.
PADDINGTON-HOUSE**

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649477555

Hortus Paddingtonensis: Or, a Catalogue of Plants Cultivated in the Garden of J. Symmons, Esq. Paddington-House by W. Salisbury

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd.
Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

W. SALISBURY

**HORTUS PADDINGTONENSIS: OR,
A CATALOGUE OF PLANTS
CULTIVATED IN THE GARDEN OF
J. SYMMONS, ESQ.
PADDINGTON-HOUSE**

HORTUS PADDINGTONENSIS:

OR,

A CATALOGUE

OF

PLANTS

CULTIVATED IN THE GARDEN

OF

J. SYMMONS, ESQ.

Paddington-House.

By W. SALISBURY, GARDENER.

I cannot but think the very Complacency, and Satisfaction which a Man takes in these Works of Nature, to be a laudable, if not a virtuous Habit of Mind.

ADDISON.

London:

PRINTED BY STEPHEN COUCHMAN,
FOR SHEPPERSON AND REYNOLDS, N^o 137, OXFORD-STREET;
AND SOLD BY MOST OF THE NURSERY AND SEEDS-MEN,
IN AND ABOUT LONDON.

1797.



Printed by W. Woodcut, 1814.

TO

JOHN SYMMONS, Esq. F. R. S.

S I R,

ANXIOUS to gratify the wishes of several persons, occasional visitants of your Garden, illustrious in rank, and eminent in superior talents, who have been pleased to think, that a Catalogue of the Plants in your extensive collection, would, at the same time

D E D I C A T I O N .

time as it displayed your vegetable riches, which your liberality renders accessible to every one, in some degree contribute to diffuse a more general knowledge of Plants; I have presumed to lay before the Public, the following Catalogue. And if the present work, should hereafter excite some person of superior abilities, to undertake a general one, on a similar plan, which, I am truly sensible, would be of material service to Botanic Science, my humble endeavours will be amply repaid; as well by deriving the peculiar satisfaction of not having wholly misemployed my time, as by affording me an opportunity, highly gratifying to my feelings, of testifying the happiness I have experienced in your service, where the opportunities I have enjoyed, have afforded me ample means, of enlarging my small stock of botanic knowledge.

Accept, Sir, the effusions of a sincere and grateful heart; wishing you health, long to enjoy that complacency and satisfaction, your elegant and scientific mind must feel, in contemplating the beauties of a vegetable world; formed under your fostering hand, and supported by your generous bounty.

With the highest respect,

I am,

S I R,

Your obliged and obedient Servant,

W. SALISBURY.

PADDINGTON-HOUSE,

Sept. 25, 1797.



A
CATALOGUE
OF
PLANTS, &c.

A BRUS preicatorius —	Jamaica wild Liquorice —	S. h.
Acanthus Diofcoridis —	Prickly-edged Bear's-breech —	H. ʒ.
— mollis —	Smooth ditto —	H. ʒ.
— spinofus —	Prickly ditto —	H. ʒ.
Acer campeftre —	Common Maple —	H. h.
— creticum —	Cretan ditto —	H. h.
— montpeffulanum —	Montpelier ditto —	H. h.
— montanum —	Mountain ditto —	H. h.
— Negundo —	Afh-leav'd ditto —	H. h.
— Opalus —	Italian ditto —	H. h.
— penfyivanicum —	Penfyivanian ditto —	H. h.
— Pseudoplatanus —	Sycamore ditto —	H. h.
— Platanoides —	Norway ditto —	H. h.
— v. laciniatum —	Cur-leav'd ditto —	H. h.
— rubrum —	Scarlet-flowered ditto —	H. h.
— v. pallidum —	Pale-flower'd ditto —	H. h.
— faccharinum —	Sugar ditto —	H. h.
— tataricum —	Tartarian ditto —	H. h.
Achania Malvavifcus —	Scarlet Achania —	S. h.
— mollis —	Woolly ditto —	S. h.
Achillea abrotanifolia —	Southernwood-leaved Milfoil —	H. ʒ.
— ægyptiaca —	Egyptian ditto —	G. ʒ.
— Ageratum —	Sweet ditto, or Maudlin —	H. ʒ.
— alpina —	Alpine ditto —	H. ʒ.
— Clavennæ —	Silvery-leav'd ditto —	H. ʒ.
— criſtata —	Slender-branch'd ditto —	H. ʒ.
— græca —	Grecian ditto —	H. ʒ.
— impatiens —	Italian ditto —	H. ʒ.

Achillea macrophylla	—	Feverfew-leav'd Milfoil	—	H. ʒ.
—	Millefolium	Common Yarrow	—	H. ʒ.
—	v. flore purpureo	Purple-flowered ditto	—	H. ʒ.
—	montana	Mountain Milfoil	—	H. ʒ.
—	nobilis	Shewy ditto	—	H. ʒ.
—	Ptarmica	Sneezewort	—	H. ʒ.
—	v. flora pleno	Double-flower'd ditto	—	H. ʒ.
—	pubescens	Downy Milfoil	—	H. ʒ.
—	Santolina	Lavender-cotton-leav'd ditto	—	H. ʒ.
—	ferrata	Notch-leav'd ditto	—	H. ʒ.
—	tomentosa	Woolly ditto	—	H. ʒ.
Achras Sapota	—	Common Sapota	—	S. ʒ.
Achyranthes aspera	—	Spreading Achyranthes	—	S. ʒ.
—	lappacea	Upright ditto	—	S. ʒ.
Aconitum Anthora	—	Wholesome Wolfsbane	—	H. ʒ.
—	album	White ditto	—	H. ʒ.
—	Cammarum	Purple-flowered ditto	—	H. ʒ.
—	japonicum	Japan ditto	—	H. ʒ.
—	lycoctonum	Great yellow-flowered ditto	—	H. ʒ.
—	Napellus	Common ditto, or Monk's-hood	—	H. ʒ.
—	variegatum	Variegated ditto	—	H. ʒ.
—	uncinatum	American ditto	—	H. ʒ.
Acorus Calamus	—	Sweet Acorus, or Flag	—	H. ʒ.
—	gramineus	Chinese ditto	—	H. ʒ.
Acrostichum ilvense	—	Hairy Acrostichum	—	H. ʒ.
—	septentrionale	Forked ditto	—	H. ʒ.
Actæa racemosa	—	American Herb-Christopher	—	H. ʒ.
—	spicata	Common ditto	—	H. ʒ.
Adelia Acidoton	—	Box-leav'd Adelia	—	S. ʒ.
Adiantum Capillus Veneris	—	Common Maiden-hair	—	H. ʒ.
—	pedatum	Canadian ditto	—	H. ʒ.
Adonis æstivalis	—	Tall Flos Adonis	—	H. ʒ.
—	autumnalis	Autumnal ditto	—	H. ʒ.
—	vernalis	Spring ditto	—	H. ʒ.
Adoxa Moschatellina	—	Tuberous Moschatel	—	H. ʒ.
Ægilops ovata	—	Oval-spik'd Hard-Grass	—	H. ʒ.
—	truncialis	Long-spik'd ditto	—	H. ʒ.
Ægopodium Podagraria	—	Gout-Weed	—	H. ʒ.
Æschynomene Sesban	—	Egyptian Æschynomene	—	S. ʒ.
Æsculus flava	—	Yellow-flowered Horse-Chestnut	—	H. ʒ.
—	Hippocastanum	Common ditto	—	H. ʒ.
—	Pavia	Scarlet-flowered ditto	—	H. ʒ.
Æthusa Cynapium	—	Common Fool's Parsley	—	H. ʒ.
—	fatua	Fine-leav'd ditto	—	H. ʒ.
—	Meum	Spignel, or Bawd-money	—	H. ʒ.
Agapanthus umbellatus	—	Blue african Lily	—	G. ʒ.
Agave americana	—	Great american Agave	—	G. ʒ.
—	v. fol. variegatis	Striped-leaved ditto	—	G. ʒ.

Agave vivipara	— —	Viviparous Agave	— —	G. ♀.
— virginica	— —	Virginian ditto	— —	G. ♀.
Agrimonia Agrimonoides	— —	Three-leaved Agrimony	— —	H. ♀.
— Eupatoria	— —	Common ditto	— —	H. ♀.
— odorata	— —	Sweet-scented ditto	— —	H. ♀.
— repens	— —	Creeping ditto	— —	H. ♀.
Agrostemma Cœli rosa	— —	Smooth-leaved Rose-campion	— —	H. ♂.
— coronaria	— —	Common ditto	— —	H. ♂.
— v. flore pleno	— —	Double-flowered ditto	— —	H. ♂.
— Flos Jovis	— —	Umbelled ditto	— —	H. ♀.
— Githago	— —	Common Cockle	— —	H. ♂.
Agrostis alba	— —	White Bent-grass	— —	H. ♀.
— capillaris	— —	Fine-leaved ditto	— —	H. ♀.
— Cornucopiæ	— —	Frazer's ditto	— —	H. ♂.
— littoralis	— —	Sea ditto	— —	H. ♀.
— mexicana	— —	Mexican ditto	— —	H. ♀.
— miliacea	— —	Millet ditto	— —	H. ♀.
— minima	— —	Least ditto	— —	H. ♂.
— palustris	— —	Marsh ditto	— —	H. ♀.
— repens*	— —	Couchy ditto	— —	H. ♀.
— rubra	— —	Brown ditto	— —	H. ♀.
— Spica venti	— —	Silky ditto	— —	H. ♂.
— tenuifolia	— —	Small-leaved ditto	— —	H. ♀.
— verticillata	— —	Whorl-spiked ditto	— —	H. ♀.
Ailanthus glandulosa	— —	Tall Ailanthus	— —	H. ♀.
Aira aquatica	— —	Water Hair-grass	— —	H. ♀.
— canescens	— —	Grey ditto	— —	H. ♀.
— caryophyllæ	— —	Silver-leaved ditto	— —	H. ♂.
— cæspitosa	— —	Turfy ditto	— —	H. ♀.
— v. vivipara	— —	Viviparous ditto	— —	H. ♀.
— flexuosa	— —	Heath ditto	— —	H. ♀.
— præcox	— —	Early ditto	— —	H. ♂.
Ajuga genevensis	— —	Flesh-coloured Bugle	— —	H. ♀.
— orientalis	— —	Oriental ditto	— —	H. ♀.
— pyramidalis	— —	Mountain ditto	— —	H. ♀.
— reptans	— —	Common ditto	— —	H. ♀.
— v. flore albo	— —	White-flowered ditto	— —	H. ♀.
Albica altissima	— —	Tall Albica	— —	G. ♀.
— coarctata	— —	Channel-leaved ditto	— —	G. ♀.
— fastigiata	— —	Upright flowered ditto	— —	G. ♀.
— major	— —	Great ditto	— —	G. ♀.
— minor	— —	Small ditto	— —	G. ♀.
— parviflora	— —	Small-flowered ditto	— —	G. ♀.
— viscosa	— —	Viscous ditto	— —	G. ♀.
Alcea ficifolia	— —	Fig-leaved Hollyhock	— —	H. ♂.
— rosea	— —	Common ditto	— —	H. ♂.

* Curtis.

Alchemilla alpina	—	Alpine Ladies-Mantle	—	H.	Y.
— v. argentata	—	Silver-leaved ditto	—	H.	Y.
— pentaphylla	—	Five-leaved ditto	—	H.	Y.
— vulgaris	—	Common ditto	—	H.	Y.
— v. hybrida	—	Pubescent ditto	—	H.	Y.
Aletris capensis	—	Wave-leaved Aletris	—	G.	Y.
— farinosa	—	American ditto	—	H.	Y.
— fragrans	—	Sweet-scented ditto	—	S.	Y.
— glauca	—	Glaucons ditto	—	G.	Y.
— hyacinthoides	—	Ceylon Aloe	—	S.	Y.
— v. guineensis	—	Guinea ditto	—	S.	Y.
— Uvaria	—	Great orange-flowered Aletris	—	G.	Y.
Alisma Damafonium	—	Star-headed Water Plantain	—	H.	Y.
— Plantago	—	Greater ditto	—	H.	Y.
— Ranunculoides	—	Lesser ditto	—	H.	Y.
Allium Ampeloprasum	—	Great round-headed Garlick	—	H.	Y.
— arenarium	—	Sand ditto	—	H.	Y.
— alpinum	—	Alpine ditto	—	H.	Y.
— angulosum	—	Angular-stalked ditto	—	H.	Y.
— ascalonicum	—	Shallot	—	H.	Y.
— canadense	—	Tree-Onion	—	H.	Y.
— carinatum	—	Mountain Garlick	—	H.	Y.
— Cepa	—	Common Onion	—	H.	Y.
— Chamæmoly	—	Bastard Moly	—	G.	Y.
— descendens	—	Purple-headed Onion	—	H.	Y.
— fistulosum	—	Welsh ditto	—	H.	Y.
— flavum	—	Sulphur-coloured ditto	—	H.	Y.
— inodorum	—	Carolina ditto	—	H.	Y.
— magicum	—	Homer's ditto, or Moly	—	H.	Y.
— Moly	—	Yellow ditto	—	H.	Y.
— nigrum	—	Broad-leaved ditto	—	H.	Y.
— nutans	—	Flat-stalked ditto	—	H.	Y.
— obliquum	—	Oblique-leaved ditto	—	H.	Y.
— odorum	—	Sweet ditto	—	H.	Y.
— oleraceum	—	Purple-striped ditto	—	H.	Y.
— pallens	—	Pale-flowered ditto	—	H.	Y.
— paniculatum	—	Panicled ditto	—	H.	Y.
— roseum	—	Rose ditto	—	H.	Y.
— sativum	—	Cultivated ditto	—	H.	Y.
— senescens	—	Narcissus-leaved ditto	—	H.	Y.
— schœnoprasum	—	Common Cives	—	H.	Y.
— scorodoprasum	—	Rocamboles Garlick	—	H.	Y.
— sphaerocephalon	—	Small round-headed ditto	—	H.	Y.
— subhirsutum	—	Hairy ditto	—	H.	Y.
— tataricum	—	Tartarian ditto	—	H.	Y.
— triquetrum	—	Triangular ditto	—	H.	Y.
— Victorialis	—	Long-rooted ditto	—	H.	Y.
— vineale	—	Crow ditto	—	H.	Y.