CHARACTERISTIC INDICATIONS FOR ONE HUNDRED REMEDIES FOR THE USE OF STUDENTS OF MATERIA MEDICA AND THERAPEUTICS

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649437696

Characteristic Indications for One Hundred Remedies for the Use of Students of Materia Medica and Therapeutics by W. J. Hawkes

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

W. J. HAWKES

CHARACTERISTIC INDICATIONS FOR ONE HUNDRED REMEDIES FOR THE USE OF STUDENTS OF MATERIA MEDICA AND THERAPEUTICS

Trieste

CHARACTERISTIC

÷

+

4

1

INDICATIONS

FOR A. Fracer M.D. ONE HUNDRED Ass 1.4

14

FOR THE USE OF STUDENTS OF

Materia Medica and Therapeutics.

BT

W. J. HAWKES, M.D.,

Professor of Materia Medica and Therapeutics in Hahnemann Medical College of Chicago; and Professor of Clinical Medicine in Hahnemann Hospital.

CHICAGO :

RAND, MCNALLY & CO., PRINTERS AND ENGRAVERS. 1882. 2 **3**

S. at

20 73

ç-

1

Total loss of appetite in the morning, but great craving for food at noon and at night.

Sensation as of a lump like an egg in the stomach; not a sense of weight, but of a hard lump which hurts.

Continual distressing constriction immediately above the pit of the stomach, as if all knotted up, or as if a hard lump of undigested food had lodged there.

Painful sensation, as if something had lodged in the chest and required to be coughed up, but no amount of coughing is able to dislodge it.

Chronic intermittent fever, accompanied by this peculiar distressing pain above the stomach.

ABROTANUM.

Great weakness and prostration, and a kind of hectic fever in children after influenza.

٩.

Itching chilblains.

×1 0/ ~ 1/2

3

Marasmus in children.

Gout; painful and inflamed wrists and ankles. Painful inflammatory rheumatism before the swelling commences.

ACONITE.

Terrible anguish, with fear of death; predicts the day she is to die.

He is afraid to go out, or 10 go where there are many people, or to cross a street; his life is rendered miserable by this all-pervading fearfulness.

155055

55% 15

1212

9 •

ACONITE-(CONTINUED).

Croupy cough; awaking after first sleep; particularly in young people after exposure to dry west winds.

Blood-spitting; the blood comes up with an easy hawking, or with but little coughing; after mental excitement or exposure to dry west winds.

Cough better after 8 A. M.

2

2

Can not keep still; skin dry, hot and burning.

Excitement without cause; everything startles him.

Numbress in left arm; can scarcely move the hand.

Skin dry and burning hot: intense thirst for cold water; redness of face, sometimes changing to paleness.

After fright with vexation, particularly during catamenia; to prevent suppression of menses.

On rising, the red face turns deadly pale.

Heat with thirst; hard, full and frequent pulse; anxious impatience; unappeasable; beside himself; tossing about with agony.

After a violent chill, dry heat, with difficult breathing and lancinating pain through chest.

Amenorrhœa in plethoric young girls.

ACTÆA RACEMOSA.

Puerperal mania; thinks she is going crazy.

Uterine affections; shooting, darting pains from side to side.

Menses irregular, with chorea, bysteria, or mental derangement.

. . **3**2 ÷. *9*9 . **1**2 a <u>9</u> -2 , *.*25 ŧ × 8 e

ACTÆA RAC.--(CONTINUED).

i.

,

,

Hysterical or epileptiform spasms, and aggravation of mental symptoms during menses.

When given during pregnancy is said to shorten labor.

False labor-pains, nausea and "shivers" during labor.

Uterine troubles of rheumatic persons.

ÆSCULUS HIPPOCASTANUM.

Hemorrhoids, with feeling of fullness, or dryness and itching, or simply dryness of rectum. Rectum feels as if full of small sticks.

Leucorrhœa, with lamoness across sacroileac articulations, and great fatigue from walking, because that part of back gives out from walking even a little way.

Constant dull backache; walking almost impossible; scarcely able to stoop, or to rise from sitting.

ε.

Paralytic feeling in arms, legs and spine.

Soreness and aching in back always made worse from motion, especially by walking, stooping, or rising from sitting.

Sensation of heaviness and lameness in back. Hemorrhoidal complaints, with sching and soreness in the sacro-ileac symphyses, made worse by motion.

(73

- M - N