ON CATARACT: AND ITS APPROPRIATE TREATMENT BY THE OPERATION ADAPTED FOR EACH PECULIAR CASE

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649661725

On Cataract: And Its Appropriate Treatment by the Operation Adapted for Each Peculiar Case by Charles Gardiner Guthrie

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

CHARLES GARDINER GUTHRIE

ON CATARACT: AND ITS APPROPRIATE TREATMENT BY THE OPERATION ADAPTED FOR EACH PECULIAR CASE

Trieste

ON CATARACT:

 ${\rm e}({\rm s})$

1

AND ITS

APPROPRIATE TREATMENT

BT

THE OPERATION ADAPTED FOR EACH PECULIAR CASE.

BY

CHARLES GARDINER GUTHRIE,

ASSISTANT SURGEON TO THE ROTAL WESTMINSTER OPHTHALMIC HOSPITAL.

LONDON:

JOHN CHURCHILL, PRINCES STREET, SOHO; W. R. SAMS, ROYAL LIBRARY, ST. JAMES'S STREET; JOHN MITCHELL, OLD BOND STREET.

1845.

PRICE FOUR SHILLINGS.

PREFACE.

THE following observations contain the substance of that part of the Lectures on Surgery which have been for years delivered by Mr. Guthrie to the Medical Officers of the Public Service, and to the Students of the Westminster and the Royal Westminster Ophthalmic Hospitals; as well as of those Clinical Lectures given by me at the Hospital during the last winter, which relate to the treatment of Cataract. I have endeavoured to be explicit in enumerating the symptoms and appearances of each kind, and in the directions explanatory of the different operations most appropriate for them; with the hope that they cannot ---be mistaken by professional readers, whilst they are as far as possible divested of unnecessary technicalities, that they may be readily understood by every intelligent person desirous of becoming acquainted with this interesting subject.

CHARLES GARDINER GUTHRIE.

19, Savile Row, May 20, 1845.

1

CONTENTS.

.

												-
GENERAL OBSERVATION	(B ,										••	1
Cataracts divi	ded in	to t	rue	and	false					••		2
Ripe or unripe												3
Constitutional	, or lo	cal,	or a	locid	lenta	1	••			••	••	4
Affect persons	of all	age	8	••		••		14	••	••	••	4
Appear to be l	heredi	tary	ē -	••	••	••			••		••	4
Constitutional	or idi	opa	thic	cat	aract	atte	icks.	both	eyes		••	5
Accidental or	traun	atic	cat	arac	et un	ually	only	y the	eye	inju	red	5
On the Symptoms of	THE	VAR	1008	K KU	NDS -	0F (CATA	RACT	••			6
Internal symp	toms.	85 0	bser	rved	by t	he s	uffer	9 7				6
External symp	0.000 10.00											8
Progress of th												9
Appearance, n												10
Immobility of												14
Cataracts of v												17
Muscæ volitan	ites, s	ymp	tom	s of	÷							18
Discrimination	10.00											20
Remarks of Ca	apt. B	ater	up	on					- 12			22
On the Discrimina	TION	BET	WR	EN	Ixcu	PIRS	m .	ND	Cox	PTPN	œn.	
AMAUROSIS AND									COLL			24
			9					••			18	1.33
Internal symp			••									
External symp				••	••	••	••	••	••	••	••	
Catoptrical te	st		••	••	•••	••		**	••	••		26
ON THE DISCRIMINATION	1031 0	r I	DIAG	NO5	18 BI	erwi	REN	GLA	UCON		ND	
CATARACT	1.	•	••	••		••	••	••	••	••	••	27
Glaucoma, ori	igin of	, sy	mpt	oms	of	••	••	••				27
Glaucoma can	not b	e mi	stal	ten	••	••			2		••	28
THE CAUSES OF CATA	RACT.	-Io	IOP	THI	C OB	Co	NSTI	rorio	NAL	••		30
Age	••	••		••			••	••				30
Inflammation	••		••	••				••				30
Congenital		••										32
Traumatic								••	- 27			32

CONTENTS.
CONTENTS.

VI	CONTENTS.									
	11		PAGE							
ON THE	CLASSIFICATION OF CATABACT	e 10	32							
	True, false, and complicated		33							
ON THE	DISCRIMINATION OF THUE CATARACT		33							
	Lenticular cataract.		83							
	Capsular cataract,		33							
	Capsulo-lenticular cataract		33							
	Of which there are several species		33							
Эн тнв	DISCRIMINATION OF LENTICULAR OR HARD CATABACT	e 20	33							
	Inquiries		34							
	A 75 U. AL 8		34							
	비행 수영 전화 영양 여행 방법에 관계 등 것 같아. 이것 것 같아. 것 같아. 것 같아.		35							
	Central opacity		35							
			36							
			87							
Эн тве	DISCRIMINATION OF CAPSULAR CATARACT		87							
	Anterior part		37							
	Posterior part		38							
	opacity of, a rare disease		39							
	Mistaken for opacity of the lens		39							
	Secondary capsular cataract		40							
Ом тнв	DISCRIMINATION OF CAPBULO-LENTICULAR CATARACT		40							
	Three Varieties :									
	Fluid, soft or caseous, and siliquose		40							
	Fluid cataract of three kinds :	44 - 188. 1	1 2005/							
	The common fluid, the Morgagnian, the hyda	tid or	č.							
	그는 것은 것은 물건이 물건을 얻는 것을 가지 않는 것을 가지 않는 것을 가지 않는 것을 했다.									
	Fluid cataract, signs of		3 0.9F							
	Morgagnian cataract									
	Hydatid or encystid cataract		42							
	Soft, gelatinous, or flocculent cataract		1.72							
	Mamparateria estatet		10							

vi

CONTENTS.

PAGE ON THE DISCRIMINATION OF CAPSULO-LENTICULAR CATABACT-continued. Fenestrated, stellated, pointed, central, half, and quarter cataracts 43 Siliquose cataract 43 Gypsum cataract 45 ON THE DIAGNOSIS OF CATARACTS OF THE SECOND CLASS, OR FALSE OR SPURIOUS CATABACTS 46 Adherent or concrete cataract 47 47 Lymphatic or purulent cataract Grumous or sanguineous cataract 47 48 Barred cataract Putrid cataract 48 Arborescent, dendritic, or choroidal cataract 48 .. 49 Cartilaginous and stony cataracts 49 Complicated cataract ON THE CURE OR REMOVAL OF CATABACT WITHOUT OPERATION ... 50 Sometimes although rarely relievable 51 ... By loss of the other eye.. 51 By operation on the other eye 52 Reproduction of the lens, case of 53 Glasses required to compensate for loss of lens.. 53 ON THE PROPER PERIOD FOR OPERATING 54 explore the entries the From April to October 54 Age of no importance 54 Preparation 55 Pregnancy 57 When one eye only is affected 57 On the propriety of operating on both eyes at the same time . 58 ON THE OPERATION FOR THE EXTRACTION OF A CATABACT 59 The ne plus ultra of operating 59 Shape of the knife 60 61 Form of the hook Incision should be made upwards.. 62

vii

CONTENTS.

	Position of the patient	••			••	200				
	Surgeon, right ey	re								
	left eye									
	Manner of fixing the eye									
	Sensibility of the eye when the	appe	er ey	elid i	-	sed				
	The common opinion on this point erroneous									
	The extreme sensibility of the eye rendered null by the raising									
	of the lid									
	Application of the knife							••		
	Place of entering it of important	8								
	Manner of entering it									
	Difficulties in proceeding									
	Completion of the incision									
	Escape of the squeous humour									
	Punctuation completed									
	Falling forward of the iris									
	Means of prevention									
	같은 방법 그렇는 것은 것이 아파 영어에는 것이 것 같아요.									
	Extent of the incision in the cor									
	Introduction of the hook and cu									
	Deficiency of the incision, or of									
	Rising of the vitreous humour a									
	Rising of the vitreous humour and sinking of the lens Loss of part of the vitreous humour and consequent irregu-									
	larity of the pupil									
	Apposition of the cut edges									
	Appearance after the operation									
	승규님이 있지만 것 것 같아.	1000					- 55			
	Treatment after the operation							••		
	Separation of the edges of the in	cisi								
	Hæmorrhage									
	Inflammation in excess									
	from debility									
	Proper spectacles after recovery									
THE	OPERATION FOR CATABACT BY DEFRESSION OR DISPLACEMENT									
	Depression by Beer's method									
	Operation condemned		••		••		••	••		
	Depression by Scarpa's method				••	••	••	••		
	repression by ocarpas method									

viii

CONTENTS.	

÷1

ON THE OPERATION FOR CATABACT BY DEPERSION OR DISPLACEMENT continued. Bowen's method			co	NTE	NTS.)						ix
-continued. Bowen's method	0	0			D	0.000		- 1		1419		PAGE
Bowen's method 1 Langenbeck's method 1 New operations suggested by drawing the lens downwards 9 Memory operations suggested by drawing the lens downwards 9 Jisplacement by the author's method 1 Displacement by the author's method 1 Attendant accidents and difficulties 1 Vomiting a distressing symptom 10 Acute inflammation 10 Chronic inflammation 10 Case of lens removed successfully 10 ON THE COMPOUND OPERATION BY DEFLACEMENT AND EXTRACTION 10 OPeration described 10 ON THE OPERATION FOR SOFT CATABACT 10 ON THE KERATONYXIS 10 May be preceded by the former 10 Manner of operating 10 Division of the lens 10 Division of the lens 11 When the lens is very so	ON THE	OPERATION FOR CAT.		122.201		RESS	ION C	DR D	ISPL	ACRN	ENT	
Langenbeck's method		Bowen's method	ALC: UNK		10.00		÷					92
New operations suggested by drawing the lens downwards 9			S. 55							1		93
			RS 85.									95
surface upwards												90
Displacement by the author's method				-	- 12		- C			poste		96
Attendant accidents and difficulties		A REPORT OF A R										97
Vomiting a distressing symptom		~~~ 이번 영상에서 이번 것이 아이지 않는 것이 있는 것이 없다.						18.53				99
Acute inflammation 10 Chronic inflammation 10 Chronic inflammation 10 Case of lens removed successfully 10 ON THE COMPOUND OPERATION BY DISPLACEMENT AND EXTRAOTION 10 ON THE COMPOUND OPERATION BY DISPLACEMENT AND EXTRAOTION 10 ON THE OPERATION FOR SOFT CATABACT 10 ON THE OPERATION FOR SOFT CATABACT 10 ON THE KERATONYXIS 10 ON THE KERATONYXIS 10 ON THE HYALONYXIS 10 May be preceded by the former 10 Manner of operating 11 Division of the lens 11 Eye unsound 11 When the lens is very soft or gelatinous 11 Adherent cataract on one side only 11 Operations to be performed 11		~ 이상하게 가격한 끝내 관계하는 말날										100
Chronic inflammation		등 영양이 2015년 영양 김지원은 지원 연합										100
Case of lens removed successfully								••				101
ON THE COMPOUND OPERATION BY DEFLACEMENT AND EXTRACTION 10 Operation described		201 222 233		1.00								102
Operation described		Case of Jens Fellovod	succe	sarcu	Jy	••	•••	••		•••		102
ON THE OPERATION FOR SOFT CATABACT	ON THE	COMPOUND OPERATIO	N BT	Dus	PLAC	BMR	-	TD E	TR	OTIO	NT.	103
Of two kinds-Keratonyxis, Hyslonyxis		Operation described	п		••	10	•••	••	••	13	••	104
ON THE KERATONYXIS	ON THE	OPERATION FOR SOFT	CAT	ARAC	т.,						••	105
ON THE HYALONTKIS		Of two kinds-Kerat	onyxi	8, H	yalo	ayxis	• ••	•••			••	105
May be preceded by the former	ON THE	KERATONYXIS	0.0	••				••		••	••	106
Shape of the needle	ON THE	HYALONYXIS						••				107
Shape of the needle		May be preceded by	the for	rmer			2010/0	1993	1057	1.0	0212	107
Manner of operating												107
Division of the lens												108
Difficulties												109
Eye unsound												110
When the lens is very soft or gelatinous												111
Adherent cataract on one side only				- 222				3133				111
Operations to be performed			5400 BB									113
operations to be performed in the fit of the fit												113
												113
Operation by solution and extraction		Operation by solution	n and	extr	actio	on	••	••	••	••		113
ON THE OPERATION FOR CONGENITAL CATARACT 11	ON THE	OPERATION FOR CON	GENIT	AL C	CATA	RACT	• ••	••		••	••	114
Term congenital explained		Term concenital ern	lained							11	÷.,	114
Term congenitar explanator it it it					100							114
												115

ix

6.5