THE ELEMENTS OF THE FOUR INNER PLANETS AND THE FUNDAMENTAL CONSTANTS OF ASTRONOMY

Published @ 2017 Trieste Publishing Pty Ltd

ISBN 9780649135998

The elements of the four inner planets and the fundamental constants of astronomy by Simon Newcomb

Except for use in any review, the reproduction or utilisation of this work in whole or in part in any form by any electronic, mechanical or other means, now known or hereafter invented, including xerography, photocopying and recording, or in any information storage or retrieval system, is forbidden without the permission of the publisher, Trieste Publishing Pty Ltd, PO Box 1576 Collingwood, Victoria 3066 Australia.

All rights reserved.

Edited by Trieste Publishing Pty Ltd. Cover @ 2017

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form or binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

www.triestepublishing.com

SIMON NEWCOMB

THE ELEMENTS OF THE FOUR INNER PLANETS AND THE FUNDAMENTAL CONSTANTS OF ASTRONOMY

Trieste

THE ELEMENTS

OF THE

FOUR INNER PLANETS

AND THE

FUNDAMENTAL CONSTANTS OF ASTRONOMY

BY

SIMON NEWCOMB

Supplement to the American Ephemeris and Nautical Almanae for 1897

36219

WASHINGTON GOVERNMENT PRINTING OFFICE 1895

QB 361 N48

PREFACE.

THE diversity in the adopted values of the elements and constants of astronomy is productive of inconvenience to all who are engaged in investigations based upon these quantities, and injurious to the precision and symmetry of much of our astronomical work. If any cases exist in which uniform and consistent values of all these quantities are embodied in an extended series of astronomical results, whether in the form of ephemerides or results of observations, they are the exception rather than the rule. The longer this diversity continues the greater the difficulties which astronomers of the future will meet in utilizing the work of our time.

On taking charge of the work of preparing the American Ephemeris in 1877 the writer was so strongly impressed with the inconvenience arising from this source that he deemed it advisable to devote all the force which he could spare to the work of deriving improved values of the fundamental elements and embodying them in new tables of the celestial motions. It was expected that the work could all be done in ten years. But a number of circumstances, not necessary to describe at present, prevented the fulfillment of this hope. Only now is the work complete so far as regards the fundamental constants and the elements of the planets from Mercury to Jupiter inclusive. The construction of tables of the four inner planets is now in progress, those of Jupiter and Saturn having already been completed by Mr. HILL. All these tables will be published as soon as possible, and the investigations on which they are based are intended, so far as it is practicable to condense them, to appear in subsequent volumes of the Astronomical Papers of the American Ephcmeris. As it will take several years to bring out these volumes, it has been deemed advisable to publish in advance the present brief summary of the work.

III

PREFACE.

The author feels that critical examination of this monograph may show in many points a want of consistency and continuity. The ground covered is so extensive, the material so diverse as well as voluminous, and the relations to be investigated so numerous, that no conclusion could be reached on one point which was not liable to be modified by subsequent decisions upon other points. The author trusts that the difficulties growing out of these features of the work, as well as those incident to the administration of an office not especially organized for the work, will afford a sufficient apology for any defects that may be noticed.

NAUTICAL ALMANAC OFFICE,

U. S. Naval Observatory, January 7, 1895.

IV

CONTENTS.

CHAPTER I.-GENERAL OUTLINE OF THE WORK OF COMPARING THE OBSERVATIONS WITH THEORY.

| | | | Page. |
|----|-------|------------------------------------------------------------------------------------------------------------------------|-------|
| ģ | 1, | Reduction to the standard system of Right Ascensions and | |
| | | Declinations | 1 |
| ý | 2, | Observations used | 1 |
| ģ | 3. | Semidiameters of Mercury and Venus,-Table for defective | |
| | | illumination of Mercury in Right Ascension | 3 |
| ģ | 4, | Tabular places from LEVERRIER'S tables Reduction for | |
| | | masses used by LEVERRIER | 6 |
| ş | 5. | Comparisons of observations and tables | 8 |
| \$ | 6. | Equations of condition,-Method of formation | 8 |
| ő | 7. | Method of determining the secular variations and the masses | |
| | | of Venus and Mercury independently | 10 |
| \$ | 8. | Method of introducing the results of observations on transits | |
| | | of Venus and Mercury; separate solutions, A from meridian | |
| | | observations without transits; B, including both meridian | |
| | | observations and transits | 13 |
| C | пл | PTER IIDISCUSSION AND RESULTS OF OBSERVATIONS OF THE SUN. | |
| Ş | 9, | Method of treating observed Right Ascensions of the Sun,- Expression of errors of observed Right Ascension as error | |
| | | of longitude | 15 |
| ő | 10 | Treatment of observed Declinations of the Sun,-Formation | |
| .7 | | of equations of condition for the corrections to the | |
| | | obliquity and to the Sun's absolute longitude | 16 |
| ă | 11 | Formation of equations from observed Right Ascensions of | 10 |
| X | *** | Sun | 17 |
| ő | 12 | Solution of equations from Right Ascensions of the Sun | |
| 3 | | Tabular exhibit of results of observations of the Sun's | |
| | | Right Ascensions at various observatories during different | |
| | | periods | 20 |
| ň | 13 | Mass of Venus, derived from observations of the Sun's Right | |
| 3 | 2.172 | Ascension | 24 |
| 6 | 11 | Discussion of corrections to the Right Ascensions of the Sun | |
| y | 4.91 | relative to that of the stars | 25 |
| | | resource to that of the stars | -20 |
| | | N N | |

CONTENTS.

| · · · · · · · · · · · · · · · · · · · | Page. |
|------------------------------------------------------------------------------------------------------------------------------|-------|
| § 15. Discussion of corrections to the eccentricity and perihelion | 07 |
| of the Earth's orbit | 27 |
| individual corrections to the absolute longitude and the | |
| obliquity of the ecliptic at the different observatories | |
| during different periods | 29 |
| § 17. Discussion of the observed corrections to the Sun's absolute | |
| longitude | 32 |
| § 18. Discussion of the observed corrections to the obliquity of | |
| the ecliptic | 33 |
| § 19. Effect of refraction on the obliquity; special investigation of | |
| the secular change of obliquity as derived from observa- | |
| tions of the Sun | 35 |
| § 20. Concluded results for the obliquity, and its secular varia- | |
| tion | 39 |
| § 21. Summary of results for the corrections to the elements of the | |
| Earth's orbit and their secular variations as derived from | |
| observatious of the Sun alone | 41 |
| CHAPTER III RESULTS OF OBSERVATIONS OF THE PLANETS | |
| MERCURY, VENUS, AND MARS. | |
| § 22. Elements adopted for correction | 43 |
| § 23. Introduction of the corrections to the masses of Venus and | |
| Mercury | 45 |
| § 24. Introduction of the errors of absolute Right Ascension and | |
| Declinations of the standard stars | 46 |
| § 25. Introduction of the corrections to the secular variations | |
| Method of forming the normal equations by periods so as | 10 |
| to include the correction to the secular variation | 49 |
| § 26. Dates and weights of the equations for the various periods. | 52 |
| § 27. Unknown quantities of the equations.—Factors for changing corrections of the unknown quantities into corrections of | |
| 아이들은 성격한 가지 않는 것을 많이 | 55 |
| § 28. Table of the values of the principal coefficients of the normal | 00 |
| § 28. Table of the values of the principal coefficients of the normal equations | 56 |
| § 29. Order of elimination | 50 |
| § 30. Treatment of meridian observations of MercuryEffect of | |
| want of approximation in the coefficients of the equations | |
| of condition | 58 |
| § 31. Introduction of the equations derived from observed tran- | |
| sits of Mercury | 61 |
| § 32. Solution of the equations for Mercury | 65 |
| § 33. Systematic discordances among the observed Right Ascen- | 3.47 |
| sions of Mercury in different points of its relative orbit. | 66 |
| | |

CONTENTS.

| the second s | Page. |
|----------------------------------------------------------------------------------------------------------------|-------|
| § 34. Comparison of the results derived from meridian observa- | |
| tions of Mercury with those derived from transits over the | |
| Sun's disk | 69 |
| § 35. Treatment of meridian observations of Venus | 70 |
| § 36. Results of observed transits of Venus | 70 |
| # 37. Equations derived from observed transits of Venus | 75 |
| § 38. Solutions of the equations from Venus | 76 |
| § 39. Comparison of the results of meridian observations of Venus with those of transits | 76 |
| § 40. Solution of the equations for Mars Inequality of long | |
| period in the mean longitude and perihelion, indicated by | |
| observations | 77 |
| § 41. Reduction from the equator to the ecliptic | 79 |
| y Relation from the equator to the compto contractor | |
| CHAPTER IV COMBINATION OF THE PRECEDING RESULTS TO | |
| OBTAIN THE MOST PROBABLE VALUES OF THE ELEMENTS | |
| AND OF THEIR SECULAR VARIATIONS FROM ORSERVA- | |
| TIONS ALONE. | |
| § 42. Modifications of the canons of least squares | 81 |
| § 43. Relative precision of the two methods of determining the | |
| elements of the Earth's orbit | 86 |
| § 44. Concluded secular variations of the solar elements, as | |
| derived from observations alone | 87 |
| § 45. Common error of the standard declinations | 89 |
| § 46. Definitive secular variations of all the elements from obser- | |
| vations aloneMatrices of the normal equations for the | |
| secular variations,-Tabular statement of results | 90 |
| & 47. Definitive corrections to the solar elements for 1850 | 95 |
| | |
| CHAPTER VMASSES OF THE PLANETS DERIVED BY METHODS | |
| INDEPENDENT OF THE SECULAR VARIATIONS, WITH THE RESULTING COMPUTED SECULAR VARIATIONS. | |
| RESCLIPSG COMPUTED SECOLAR VARIATIONS, | |
| § 48. Plan of discussion | 97 |
| § 49. Mass of Jupiter; general combination of results | 97 |
| § 50. Mass of Mars Prof. HALL's value adopted | 99 |
| § 51. Mass of the Earth, derived from the preliminary value of the | |
| solar parallax | 99 |
| § 52. Mass of Venus, derived from periodic perturbations | 101 |
| § 53. Mass of Mercury, from various sources | 102 |
| § 54. Theoretical values of the secular variations for 1850 | 106 |
| | |

VII